



Steel wire rope - 1x19

Product information



Rope construction: 1x19

Stay rope



Agriculture and livestock



Part Code	Rope Diameter, mm	Tensile strength N/mm ²	Steel area mm ²	Min. Breaking force, kN	Colour	Finish	Rope lay.	Weight kg/100m
100100501220040	5	1,570	14.6	20.6	Clear	Galvanized	S	12.1
100100502220040	5	1,570	14.6	20.6	-	Galvanized	Z	12.1
100100501420040	5	1,570	14.6	20.6	-	Heavy galvanized	S	12.1
100100502420040	5	1,570	14.6	20.6	-	Heavy galvanized	Z	12.1

100100601220040	6	1,570	21	29.7	-	Galvanized	S	17.5
100100602220040	6	1,570	21	29.7	-	Galvanized	Z	17.5
100100601420040	6	1,570	21	29.7	-	Heavy galvanized	S	17.5
100100602420040	6	1,570	21	29.7	-	Heavy galvanized	Z	17.5
100100701220040	7	1,570	28.6	40.5	-	Galvanized	S	23.8
100100702220040	7	1,570	28.6	40.5	-	Galvanized	Z	23.8
100100701420040	7	1,570	28.6	40.5	-	Heavy galvanized	S	23.8
100100702420040	7	1,570	28.6	40.5	-	Heavy galvanized	Z	23.8
100100801220040	8	1,570	37.4	52.8	-	Galvanized	S	31
100100802220040	8	1,570	37.4	52.8	-	Galvanized	Z	31
100100801420040	8	1,570	37.4	52.8	-	Heavy galvanized	S	31
100100802420040	8	1,570	37.4	52.8	-	Heavy galvanized	Z	31
100100901220040	9	1,570	47.3	66.9	-	Galvanized	S	39.3
100100902220040	9	1,570	47.3	66.9	-	Galvanized	Z	39.3
100100901420040	9	1,570	47.3	66.9	-	Heavy galvanized	S	39.3
100100902420040	9	1,570	47.3	66.9	-	Heavy galvanized	Z	39.3
100101001220040	10	1,570	58.4	82.6	-	Galvanized	S	48.5
100101002220040	10	1,570	58.4	82.6	-	Galvanized	Z	48.5
100101001420040	10	1,570	58.4	82.6	-	Heavy galvanized	S	48.5
100101002420040	10	1,570	58.4	82.6	-	Heavy galvanized	Z	48.5
100101101220040	11	1,570	70.7	99.9	-	Galvanized	S	58.7
100101102220040	11	1,570	70.7	99.9	-	Galvanized	Z	58.7
100101101420040	11	1,570	70.7	99.9	-	Heavy galvanized	S	58.7

100101102420040	11	1,570	70.7	99.9	-	Heavy galvanized	Z	58.7
100101201220040	12	1,570	84.1	119	-	Galvanized	S	69.8
100101202220040	12	1,570	84.1	119	-	Galvanized	Z	69.8
100101201420040	12	1,570	84.1	119	-	Heavy galvanized	S	69.8
100101202420040	12	1,570	84.1	119	-	Heavy galvanized	Z	69.8
100101301220040	13	1,570	98.8	140	-	Galvanized	S	82
100101302220040	13	1,570	98.8	140	-	Galvanized	Z	82
100101301420040	13	1,570	98.8	140	-	Heavy galvanized	S	82
100101302420040	13	1,570	98.8	140	-	Heavy galvanized	Z	82
100101401220040	14	1,570	115	162	-	Galvanized	S	95.1
100101402220040	14	1,570	115	162	-	Galvanized	Z	95.1
100101401420040	14	1,570	115	162	-	Heavy galvanized	S	95.1
100101402420040	14	1,570	115	162	-	Heavy galvanized	Z	95.1
100101601220040	16	1,570	150	211	-	Galvanized	S	124
100101602220040	16	1,570	150	211	-	Galvanized	Z	124
100101601420040	16	1,570	150	211	-	Heavy galvanized	S	124
100101602420040	16	1,570	150	211	-	Heavy galvanized	Z	124
100101801220040	18	1,570	189	268	-	Galvanized	S	157
100101802220040	18	1,570	189	268	-	Galvanized	Z	157
100101801420040	18	1,570	189	268	-	Heavy galvanized	S	157
100101802420040	18	1,570	189	268	-	Heavy galvanized	Z	157
100101901220040	19	1,570	211	298	-	Galvanized	S	175
100101902220040	19	1,570	211	298	-	Galvanized	Z	175

100101901420040	19	1,570	211	298	-	Heavy galvanized	S	175
100101902420040	19	1,570	211	298	-	Heavy galvanized	Z	175
100102001220040	20	1,570	234	330	-	Galvanized	S	194
100102002220040	20	1,570	234	330	-	Galvanized	Z	194
100102001420040	20	1,570	234	330	-	Heavy galvanized	S	194
100102002420040	20	1,570	234	330	-	Heavy galvanized	Z	194
100102201220040	22	1,570	283	400	-	Galvanized	S	235
100102202220040	22	1,570	283	400	-	Galvanized	Z	235
100102201420040	22	1,570	283	400	-	Heavy galvanized	S	235
100102202420040	22	1,570	283	400	-	Heavy galvanized	Z	235
100102601220040	26	1,570	395	558	-	Galvanized	S	328
100102602220040	26	1,570	395	558	-	Galvanized	Z	328
100102601420040	26	1,570	395	558	-	Heavy galvanized	S	328
100102602420040	26	1,570	395	558	-	Heavy galvanized	Z	328
100102801220040	28	1,570	458	647	-	Galvanized	S	380
100102802220040	28	1,570	458	647	-	Galvanized	Z	380
100102801420040	28	1,570	458	647	-	Heavy galvanized	S	380
100102802420040	28	1,570	458	647	-	Heavy galvanized	Z	380
100102901220040	29	1,570	491	694	-	Galvanized	S	408
100102902220040	29	1,570	491	694	-	Galvanized	Z	408
100102901420040	29	1,570	491	694	-	Heavy galvanized	S	408
100102902420040	29	1,570	491	694	-	Heavy galvanized	Z	408
100103001220040	30	1,570	526	743	-	Galvanized	S	436

100103002220040	30	1,570	526	743	-	Galvanized	Z	436
100103001420040	30	1,570	526	743	-	Heavy galvanized	S	436
100103002420040	30	1,570	526	743	-	Heavy galvanized	Z	436