

Thimble DIN 6899B



Product information

Design: Pressed of profile steel.

Finish: Galvanized

| Part Code | Rope Ø range mm | a mm | b mm | c mm | d mm | e mm | Weight kg/100pc |
|--------------|-----------------|------|------|------|------|------|-----------------|
| 123100250010 | 2.5 | 3 | 22 | 19 | 12 | 1.6 | 0.6 |
| 123100350010 | 3.5 | 4 | 26 | 21 | 13 | 1.6 | 0.7 |
| 123100400010 | 4 | 5 | 32 | 23 | 14 | 1.9 | 0.9 |
| 123100500010 | 5 | 6 | 38 | 25 | 16 | 2.4 | 1.8 |
| 123100600010 | 6 | 7 | 44 | 28 | 18 | 2.4 | 1.9 |
| 123100700010 | 7 | 8 | 51 | 32 | 20 | 2.8 | 2.7 |
| 123100900010 | 9 | 10 | 57 | 38 | 24 | 3.1 | 4.1 |
| 123101100010 | 11 | 12 | 64 | 45 | 28 | 3.3 | 6.9 |
| 123101200010 | 12 | 13 | 70 | 48 | 30 | 3.3 | 7.6 |
| 123101300010 | 13 | 14 | 76 | 51 | 32 | 3.7 | 9.2 |
| 123101500010 | 15 | 16 | 83 | 58 | 36 | 3.8 | 16.4 |
| 123101600010 | 16 | 17 | 89 | 61 | 38 | 4.7 | 19 |
| 123101700010 | 17 | 18 | 95 | 64 | 40 | 4.7 | 20.3 |
| 123101800010 | 18 | 20 | 102 | 72 | 45 | 5.7 | 27.3 |
| 123102000010 | 20 | 22 | 114 | 80 | 50 | 5.7 | 28.6 |
| 123102200010 | 22 | 24 | 127 | 90 | 56 | 6.5 | 44.8 |
| 123102400010 | 24 | 26 | 140 | 99 | 62 | 6.8 | 57.7 |
| 123102600010 | 26 | 28 | 152 | 112 | 70 | 8 | 72 |
| 123103400010 | 34 | 36 | 216 | 160 | 100 | 8.5 | 176 |
| 123103600010 | 36 | 38 | 229 | 176 | 110 | 8.5 | 195 |
| 123103800010 | 38 | 40 | 241 | 184 | 115 | 10.5 | 292 |

Blueprint

