

Offshore crane




Crawler crane



Casar Parafit

Product information



Advantages and features:

- Extremely high breaking strength
- Very stabile wire rope construction with good fatigue properties
- A plastic layer between inner and outer strands prevents inner wear and protects the core from corrosion.
- Very high resistance against flattening and wear.
- Especially suitable for multiple layer spooling.

ISO 4309 Rope Category No: 8-50mm RCN.09,

Rope construction: 8 strand hammered rope in parallel lay construction made out of compacted outer strands. Has a plastic layer between the steel core and the outer strands, giving the rope a high structural s

Marking: According to standard

Standard: EN 12385-4

Fill factor: 0.74

RCN: 09

Part Code	Rope Diameter, mm	Tensile strength N/mm ²	Steel area mm ²	Min. Breaking force, kN	Finish	Rope lay.	Weight kg/100m
103100804070129	8	1,960	37	63.1	Bright	sZ	29
103100803070129	8	1,960	37	63.1	Bright	zS	29
103100804270129	8	1,960	37	63.1	Galvanized	sZ	29
103100803270129	8	1,960	37	63.1	Galvanized	zS	29

103100804100129	8	2,160	37	68.7	Bright	sZ	29
103100803100129	8	2,160	37	68.7	Bright	zS	29
103100804300129	8	2,160	37	68.7	Galvanized	sZ	29
103100803300129	8	2,160	37	68.7	Galvanized	zS	29
103100904070129	9	1,960	46.6	79.4	Bright	sZ	37
103100903070129	9	1,960	46.6	79.4	Bright	zS	37
103100904270129	9	1,960	46.6	79.4	Galvanized	sZ	37
103100903270129	9	1,960	46.6	79.4	Galvanized	zS	37
103100904100129	9	2,160	46.6	86.5	Bright	sZ	37
103100903100129	9	2,160	46.6	86.5	Bright	zS	37
103100904300129	9	2,160	46.6	86.5	Galvanized	sZ	37
103100903300129	9	2,160	46.6	86.5	Galvanized	zS	37
103101004070129	10	1,960	57.1	97.3	Bright	sZ	49
103101003070129	10	1,960	57.1	97.3	Bright	zS	49
103101004270129	10	1,960	57.1	97.3	Galvanized	sZ	49
103101003270129	10	1,960	57.1	97.3	Galvanized	zS	49
103101004100129	10	2,160	57.1	106	Bright	sZ	49
103101003100129	10	2,160	57.1	106	Bright	zS	49
103101004300129	10	2,160	57.1	106	Galvanized	sZ	49
103101003300129	10	2,160	57.1	106	Galvanized	zS	49
103101104070129	11	1,960	71.2	121	Bright	sZ	55
103101103070129	11	1,960	71.2	121	Bright	zS	55
103101104270129	11	1,960	71.2	121	Galvanized	sZ	55

103101103270129	11	1,960	71.2	121	Galvanized	zS	55
103101104100129	11	2,160	71.2	132	Bright	sZ	55
103101103100129	11	2,160	71.2	132	Bright	zS	55
103101104300129	11	2,160	71.2	132	Galvanized	sZ	55
103101103300129	11	2,160	71.2	132	Galvanized	zS	55
103101204070129	12	1,960	82.7	141	Bright	sZ	65
103101203070129	12	1,960	82.7	141	Bright	zS	65
103101204270129	12	1,960	82.7	141	Galvanized	sZ	65
103101203270129	12	1,960	82.7	141	Galvanized	zS	65
103101204100129	12	2,160	82.7	154	Bright	sZ	65
103101203100129	12	2,160	82.7	154	Bright	zS	65
103101204300129	12	2,160	82.7	154	Galvanized	sZ	65
103101203300129	12	2,160	82.7	154	Galvanized	zS	65
103101304070129	13	1,960	97.9	167	Bright	sZ	77
103101303070129	13	1,960	97.9	167	Bright	zS	77
103101304270129	13	1,960	97.9	167	Galvanized	sZ	77
103101303270129	13	1,960	97.9	167	Galvanized	zS	77
103101304100129	13	2,160	97.9	182	Bright	sZ	77
103101303100129	13	2,160	97.9	182	Bright	zS	77
103101304300129	13	2,160	97.9	182	Galvanized	sZ	77
103101303300129	13	2,160	97.9	182	Galvanized	zS	77
103101404070129	14	1,960	115	196	Bright	sZ	89
103101403070129	14	1,960	115	196	Bright	zS	89

103101404270129	14	1,960	115	196	Galvanized	sZ	89
103101403270129	14	1,960	115	196	Galvanized	zS	89
103101404100129	14	2,160	115	213	Bright	sZ	89
103101403100129	14	2,160	115	213	Bright	zS	89
103101404300129	14	2,160	115	213	Galvanized	sZ	89
103101403300129	14	2,160	115	213	Galvanized	zS	89
103101504070129	15	1,960	131	223	Bright	sZ	102
103101503070129	15	1,960	131	223	Bright	zS	102
103101504270129	15	1,960	131	223	Galvanized	sZ	102
103101503270129	15	1,960	131	223	Galvanized	zS	102
103101504100129	15	2,160	131	243	Bright	sZ	102
103101503100129	15	2,160	131	243	Bright	zS	102
103101504300129	15	2,160	131	243	Galvanized	sZ	102
103101503300129	15	2,160	131	243	Galvanized	zS	102
103101604070129	16	1,960	150	255	Bright	sZ	117
103101603070129	16	1,960	150	255	Bright	zS	117
103101604270129	16	1,960	150	255	Galvanized	sZ	117
103101603270129	16	1,960	150	255	Galvanized	zS	117
103101604100129	16	2,160	150	278	Bright	sZ	117
103101603100129	16	2,160	150	278	Bright	zS	117
103101604300129	16	2,160	150	278	Galvanized	sZ	117
103101603300129	16	2,160	150	278	Galvanized	zS	117
103101704070129	17	1,960	171	292	Bright	sZ	132

103101703070129	17	1,960	171	292	Bright	zS	132
103101704270129	17	1,960	171	292	Galvanized	sZ	132
103101703270129	17	1,960	171	292	Galvanized	zS	132
103101704100129	17	2,160	171	318	Bright	sZ	132
103101703100129	17	2,160	171	318	Bright	zS	132
103101704300129	17	2,160	171	318	Galvanized	sZ	132
103101703300129	17	2,160	171	318	Galvanized	zS	132
103101804070129	18	1,960	189	323	Bright	sZ	146
103101803070129	18	1,960	189	323	Bright	zS	146
103101804270129	18	1,960	189	323	Galvanized	sZ	146
103101803270129	18	1,960	189	323	Galvanized	zS	146
103101804100129	18	2,160	189	352	Bright	sZ	146
103101803100129	18	2,160	189	352	Bright	zS	146
103101804300129	18	2,160	189	352	Galvanized	sZ	146
103101803300129	18	2,160	189	352	Galvanized	zS	146
103101904070129	19	1,960	214	364	Bright	sZ	163
103101903070129	19	1,960	214	364	Bright	zS	163
103101904270129	19	1,960	214	364	Galvanized	sZ	163
103101903270129	19	1,960	214	364	Galvanized	zS	163
103101904100129	19	2,160	214	397	Bright	sZ	163
103101903100129	19	2,160	214	397	Bright	zS	163
103101904300129	19	2,160	214	397	Galvanized	sZ	163
103101903300129	19	2,160	214	397	Galvanized	zS	163

103102004070129	20	1,960	234	398	Bright	sZ	181
103102003070129	20	1,960	234	398	Bright	zS	181
103102004270129	20	1,960	234	398	Galvanized	sZ	181
103102003270129	20	1,960	234	398	Galvanized	zS	181
103102004100129	20	2,160	234	434	Bright	sZ	181
103102003100129	20	2,160	234	434	Bright	zS	181
103102004300129	20	2,160	234	434	Galvanized	sZ	181
103102003300129	20	2,160	234	434	Galvanized	zS	181
103102104070129	21	1,960	257	437	Bright	sZ	198
103102103070129	21	1,960	257	437	Bright	zS	198
103102104270129	21	1,960	257	437	Galvanized	sZ	198
103102103270129	21	1,960	257	437	Galvanized	zS	198
103102104100129	21	2,160	257	477	Bright	sZ	198
103102103100129	21	2,160	257	477	Bright	zS	198
103102104300129	21	2,160	257	477	Galvanized	sZ	198
103102103300129	21	2,160	257	477	Galvanized	zS	198
103102204070129	22	1,960	285	485	Bright	sZ	220
103102203070129	22	1,960	285	485	Bright	zS	220
103102204270129	22	1,960	285	485	Galvanized	sZ	220
103102203270129	22	1,960	285	485	Galvanized	zS	220
103102204100129	22	2,160	285	529	Bright	sZ	220
103102203100129	22	2,160	285	529	Bright	zS	220
103102204300129	22	2,160	285	529	Galvanized	sZ	220

103102203300129	22	2,160	285	529	Galvanized	zS	220
103102304070129	23	1,960	310	528	Bright	sZ	240
103102303070129	23	1,960	310	528	Bright	zS	240
103102304270129	23	1,960	310	528	Galvanized	sZ	240
103102303270129	23	1,960	310	528	Galvanized	zS	240
103102304100129	23	2,160	310	576	Bright	sZ	240
103102303100129	23	2,160	310	576	Bright	zS	240
103102304300129	23	2,160	310	576	Galvanized	sZ	240
103102303300129	23	2,160	310	576	Galvanized	zS	240
103102404070129	24	1,960	338	576	Bright	sZ	261
103102403070129	24	1,960	338	576	Bright	zS	261
103102404270129	24	1,960	338	576	Galvanized	sZ	261
103102403270129	24	1,960	338	576	Galvanized	zS	261
103102404100129	24	2,160	338	628	Bright	sZ	261
103102403100129	24	2,160	338	628	Bright	zS	261
103102404300129	24	2,160	338	628	Galvanized	sZ	261
103102403300129	24	2,160	338	628	Galvanized	zS	261
103102504070129	25	1,960	366	624	Bright	sZ	282
103102503070129	25	1,960	366	624	Bright	zS	282
103102504270129	25	1,960	366	624	Galvanized	sZ	282
103102503270129	25	1,960	366	624	Galvanized	zS	282
103102504100129	25	2,160	366	680	Bright	sZ	282
103102503100129	25	2,160	366	680	Bright	zS	282

103102504300129	25	2,160	366	680	Galvanized	sZ	282
103102503300129	25	2,160	366	680	Galvanized	zS	282
103102604070129	26	1,960	394	672	Bright	sZ	307
103102603070129	26	1,960	394	672	Bright	zS	307
103102604270129	26	1,960	394	672	Galvanized	sZ	307
103102603270129	26	1,960	394	672	Galvanized	zS	307
103102604100129	26	2,160	394	732	Bright	sZ	307
103102603100129	26	2,160	394	732	Bright	zS	307
103102604300129	26	2,160	394	732	Galvanized	sZ	307
103102603300129	26	2,160	394	732	Galvanized	zS	307
103102804070129	28	1,960	459	783	Bright	sZ	353
103102803070129	28	1,960	459	783	Bright	zS	353
103102804270129	28	1,960	459	783	Galvanized	sZ	353
103102803270129	28	1,960	459	783	Galvanized	zS	353
103102804100129	28	2,160	459	853	Bright	sZ	353
103102803100129	28	2,160	459	853	Bright	zS	353
103102804300129	28	2,160	459	853	Galvanized	sZ	353
103102803300129	28	2,160	459	853	Galvanized	zS	353
103103004070129	30	1,960	529	902	Bright	sZ	410
103103003070129	30	1,960	529	902	Bright	zS	410
103103004270129	30	1,960	529	902	Galvanized	sZ	410
103103003270129	30	1,960	529	902	Galvanized	zS	410
103103004100129	30	2,160	529	983	Bright	sZ	410

103103003100129	30	2,160	529	983	Bright	zS	410
103103004300129	30	2,160	529	983	Galvanized	sZ	410
103103003300129	30	2,160	529	983	Galvanized	zS	410
103103204070129	32	1,960	598	1,019	Bright	sZ	464
103103203070129	32	1,960	598	1,019	Bright	zS	464
103103204270129	32	1,960	598	1,019	Galvanized	sZ	464
103103203270129	32	1,960	598	1,019	Galvanized	zS	464
103103204100129	32	2,160	598	1,110	Bright	sZ	464
103103203100129	32	2,160	598	1,110	Bright	zS	464
103103204300129	32	2,160	598	1,110	Galvanized	sZ	464
103103203300129	32	2,160	598	1,110	Galvanized	zS	464
103103404070129	34	1,960	679	1,157	Bright	sZ	523
103103403070129	34	1,960	679	1,157	Bright	zS	523
103103404270129	34	1,960	679	1,157	Galvanized	sZ	523
103103403270129	34	1,960	679	1,157	Galvanized	zS	523
103103404100129	34	2,160	679	1,261	Bright	sZ	523
103103403100129	34	2,160	679	1,261	Bright	zS	523
103103404300129	34	2,160	679	1,261	Galvanized	sZ	523
103103403300129	34	2,160	679	1,261	Galvanized	zS	523
103103604070129	36	1,960	758	1,292	Bright	sZ	583
103103603070129	36	1,960	758	1,292	Bright	zS	583
103103604270129	36	1,960	758	1,292	Galvanized	sZ	583
103103603270129	36	1,960	758	1,292	Galvanized	zS	583

103103604100129	36	2,160	758	1,407	Bright	sZ	583
103103603100129	36	2,160	758	1,407	Bright	zS	583
103103604300129	36	2,160	758	1,407	Galvanized	sZ	583
103103603300129	36	2,160	758	1,407	Galvanized	zS	583
103103804070129	38	1,960	848	1,446	Bright	sZ	655
103103803070129	38	1,960	848	1,446	Bright	zS	655
103103804270129	38	1,960	848	1,446	Galvanized	sZ	655
103103803270129	38	1,960	848	1,446	Galvanized	zS	655
103103804100129	38	2,160	848	1,576	Bright	sZ	655
103103803100129	38	2,160	848	1,576	Bright	zS	655
103103804300129	38	2,160	848	1,576	Galvanized	sZ	655
103103803300129	38	2,160	848	1,576	Galvanized	zS	655
103104004070129	40	1,960	935	1,594	Bright	sZ	729
103104003070129	40	1,960	935	1,594	Bright	zS	729
103104004270129	40	1,960	935	1,594	Galvanized	sZ	729
103104003270129	40	1,960	935	1,594	Galvanized	zS	729
103104004100129	40	2,160	935	1,736	Bright	sZ	729
103104003100129	40	2,160	935	1,736	Bright	zS	729
103104004300129	40	2,160	935	1,736	Galvanized	sZ	729
103104003300129	40	2,160	935	1,736	Galvanized	zS	729

Blueprint

