



Sakkeli Super

Tuotekuvaus

Bow shackle with safety bolt.

Handling of the shackle is easy due to the smaller size and weight. The shackle also offers a double safety (split pin and safety bolt) which prevents accidental unscrewing of the pin. Furthermore, the long-term durability of the shackle is assured as a result of its galvanization. Wear and tear of the counter components such as wire rope is also minimized as the chamber in the shackle eye hides the screw thread.

Certification: This product can be supplied with works certificate, 3.1 material certificate, manufacturer test certificate, EC Declaration of Conformity. All shackles starting from 150 tons are supplied with a Lloyd's Register of Shipping Certificate on proof load.

Standard: Meets performance requirements of US Fed. Spec. RR-C-271 Type IVA Class 3, Grade B.

Materiaali: Lämpökäsitelty teräs luokka 8. Lämpökäsittely kielletty.

Merkintä: CE-merkintä, WLL.

Lämpötila-alue: -20°C - +200°C.

Pintakäsittely: Kuumasinkitty (175 t maalattu).

Varmuuskerroin: 5:1

Luokka: 8

| Tuotekoodi | Työkuormat | a mm | b mm | c mm | d mm | e mm | f mm | g mm | h mm | i mm | j mm | k mm | Paino kg |
|--------------|------------|------|------|------|------|------|------|------|------|------|------|------|----------|
| 420100330590 | 3,3 | 13,5 | 16 | 34 | 13 | 22 | 51 | 32 | 90 | 80 | 59 | 13 | 0,4 |
| 420100500590 | 5 | 16 | 19 | 40 | 16 | 27 | 64 | 43 | 110 | 98 | 75 | 17 | 0,73 |
| 420100700590 | 7 | 19 | 22 | 46 | 19 | 31 | 76 | 51 | 129 | 115 | 89 | 19 | 1,19 |
| 420100950590 | 9,5 | 22 | 25 | 52 | 22 | 36 | 83 | 58 | 144 | 130 | 102 | 22 | 1,73 |
| 420101250590 | 12,5 | 25 | 28 | 59 | 25 | 43 | 95 | 68 | 164 | 150 | 118 | 25 | 2,56 |
| 420101500590 | 15 | 28 | 32 | 67 | 28 | 47 | 108 | 75 | 186 | 166 | 131 | 27 | 3,6 |
| 420101800590 | 18 | 32 | 35 | 73 | 32 | 51 | 115 | 83 | 201 | 184 | 147 | 30 | 4,95 |
| 420102100590 | 21 | 35 | 38 | 79 | 35 | 57 | 133 | 92 | 227 | 197 | 162 | 33 | 6,62 |
| 420103000590 | 30 | 38 | 42 | 88 | 38 | 60 | 146 | 99 | 249 | 202 | 175 | 19 | 8,11 |
| 420104000590 | 40 | 45 | 50 | 104 | 45 | 74 | 178 | 126 | 300 | 243 | 216 | 23 | 14,8 |
| 420105500590 | 55 | 57 | 57 | 119 | 57 | 83 | 197 | 138 | 342 | 283 | 252 | 26 | 23,3 |
| 420108500590 | 85 | 70 | 70 | 145 | 70 | 105 | 260 | 180 | 438 | 339 | 320 | 32 | 45,1 |
| 420112000590 | 120 | 83 | 83 | 164 | 83 | 127 | 329 | 190 | 537 | 397 | 356 | 39 | 72 |
| 420115000590 | 150 | 95 | 95 | 204 | 95 | 147 | 400 | 238 | 644 | 453 | 428 | 50 | 116 |
| 420117500590 | 175 | 105 | 108 | 235 | 105 | 169 | 410 | 275 | 686 | 496 | 485 | 50 | 156 |

Mittakuva

